



# Adjustable light attenuator MPO

Available in 1 - 25 dB. Passive device designed to reduce the power level of an optical signal to prevent optical overload at the receiver. Optical attenuators are commonly used in CWDM and DWDM, ...

This MPO Attenuator meets TIA/EIA 604-5, and IEC 61754-7 with compliance for RoHS.

Wirewerks MPO/MTP Attenuator is a passive component designed to evenly reduce the power of an optical signal for each fiber channel in the MPO/MTP connector without changing the signal's ...

Optec's latest MPO/MTP Loopback Attenuator provides a fast and efficient solution to test the performance to transmit and the receiving sensitivity of the optical network device.

Offering attenuation values from 1dB to 20dB for both single mode and multimode fiber applications, these MPO attenuators deliver consistent, accurate performance and low insertion loss for ...

This MPO fiber attenuator contains doped fiber and is suitable for operation at 1310nm and 1550nm. Fixed attenuation values are available in 1dB increments from 1 to 25 dB.

Instead of using an individual attenuator for each path, the MPO attenuator allows for even attenuation of signal power across the entire span with just a single component. Not only does this save time ...

This MPO build out attenuator (BOA) is simple and compact with only 48.8 mm in length. It can be applied to adjust the power levels of signal in all channels for optical communications at the output of ...

Anylink's MPO attenuator is used to reduce optical-signal electric power in all channels of 40/100G Parallel Optic Transmission, and other equipment with using MPO interconnection.



# Adjustable light attenuator MPO

Web: <https://www.maxtools.co.za>

